

	L #	Hits	Search Text	DBs
1	L6	1122 504	(potassium or sodium or lithium or ammonium) adj (lactate or acetate or propionate or formate or salicylate or malate or stearate or laurate or oxalate or citrate or tartrate or benzoate or succinate or myristate) or polyacrylic adj acid or polymethacrylic adj acid or conductiv\$5 near3 (material or compound or agent) or acetic adj acid or (polylactic or lactic) near5 (polyglycolic or glycolic) or plga or carboxymethylcellulose near3 sodium or (acrylic or methacrylic) adj acid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L7	3023 65	halogen\$5 near5 solvent or chloroform or methyl adj chloride or trichloroethylene or trichloroethane or carbon adj tetrachloride	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L8	9519 72	(aliphatic or lower) near3 alcohol or (methyl or ethyl or propyl or butyl) adj alcohol or methanol or ethanol or propanol or butanol or acetone or formamide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L9	1468 95	6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
5	L10	3976 1	6 same 7 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L11	1317	((347/20) or (347/21)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L12	406	((347/73) or (347/76)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L13	418	((347/95) or (347/98)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L15	0	9 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L14	23	9 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
11	L16	18	9 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L17	3267	(252/500).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L18	280	9 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L19	38	10 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L20	1797	(524/556).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L21	142	9 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
17	L22	21	10 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L23	35	(18 21) and (printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L24	491	(11 17 20) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	L25	168	24 and (printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L26	4	9 and 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L27	189	24 and 6 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
23	L28	59	24 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
24	L29	1103	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	L30	476	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
26	L31	5370 62	(potassium or sodium or lithium or ammonium) adj (lactate or acetate or propionate or formate or salicylate or malate or stearate or laurate or oxalate or citrate or tartrate or benzoate or succinate or myristate) or polyacrylic adj acid or polymethacrylic adj acid or acetic adj acid or (polylactic or lactic) near5 (polyglycolic or glycolic) or plga or carboxymethylcellulose near3 sodium	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L32	925	29 and 7 and 8 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L33	473	29 and 7 same 8 same 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L34	4	(11 17 20) and 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
30	L35	101	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) same continuous and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	L36	7	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (binder or binding) same 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	L38	3461	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (binder or binding) same (6 7 8) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
33	L37	242	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (binder or binding) same (6 7 8) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	L39	36	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and (binder or binding) same (6 7 8) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	L40	227	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
36	L42	58	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (binder or binding) same 6 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	L41	13	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (binder or binding) same 6 same 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
38	L43	449	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (binder or binding) same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
39	L44	180	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and (3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (binder or binding) with 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	L45	2192	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
41	L46	8	(11 17 20) and 45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	L47	2192	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and 45 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	L48	229	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (11 17 20) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	L50	0	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and binding adj liquid same 7 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
45	L51	21	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and binder same 7 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
46	L52	7	51 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	L53	2	("6830709").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	L54	1	53 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	L55	2	("20040220298").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	L56	1	6 and 55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
51	L57	2	("20040220298").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
52	L58	1	57 and 6 and 7 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	L59	0	57 and table adj "10"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	L60	1	57 and halogenated	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	L61	2	tetrapropylammonium adj bromide with soluble	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	L62	0	tetrapropylammonium adj bromide with solubility with solvent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
57	L63	295	ethyl adj acetate with miscible with 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	L64	1	ethyl adj acetate adj5 miscible adj5 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	L65	1	ethyl adj acetate adj10 miscible adj10 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	L66	3	acetate adj10 miscible adj10 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	L67	2082 8	polylactic adj acid	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	L68	28	67 near10 conductiv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
63	L69	101	67 same conductiv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	L70	1	67 near10 electrolyte	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	L71	35	67 near10 polyelectrolyte	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
66	L72	9781	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and heat\$3 same evaporat\$5 same (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
67	L73	2234	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and heat\$3 near10 evaporat\$5 near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	L75	14	(11 12 13) and 72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	L74	118	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and heat\$3 near10 evaporat\$5 near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	L76	2	("5204055").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
71	L77	4	((("5518680") or ("20030114936"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	L78	2	77 and (heat\$3 or evaporat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	L79	545	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and heat\$3 near10 decompos\$5 near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	L80	38	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and heat\$3 near10 decompos\$5 near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
75	L81	0	(11 12 13) and 79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
76	L82	2	76 and (heat\$3 or evaporat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	L83	5048	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and pressure near10 (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	L84	122	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and pressure near10 (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
79	L85	4	(11 12 13) and 83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	L86	249	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (supercritical or "co.sub.2") near10 (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
81	L87	3422	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (supercritical or "co.sub.2") same(binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
82	L88	162	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and (supercritical or "co.sub.2") same (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
83	L89	144	88 not 86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
84	L90	2037	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (supercritical adj fluid or extraction adj solvent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
85	L91	5	(11 12 13) and 90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
86	L92	81	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and (supercritical adj fluid or extraction adj solvent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
87	L94	2060	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
88	L95	13	((("5204055") or ("5340656") or ("5387380") or ("5623292") or ("5807437") or ("5821963") or ("6036777") or ("6146567"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
89	L96	9	95 and (supercritical or "co.sub.2" or pressure or evaporat\$5 or decompos\$5 or gas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
90	L93	198	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ab. and (gas or pressure) near10 (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
91	L97	245	(11 12 13) and (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
92	L98	568	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ti. and (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
93	L99	374	(3d or three adj dimensional or "3" adj dimensional) adj print\$3 and (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
94	L100	1374	rowe.in. and (supercritical or "co.sub.2" or pressure or evaporat\$5 or decompos\$5 or gas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
95	L101	84	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and 100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
96	L102	36	rowe.in. and 6.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
97	L103	2706	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (gas or ambient near3 pressure or solvent near3 extract\$5) near10 (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
98	L104	25	(3d or three adj dimensional or "3" adj dimensional or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering).ti. and (gas or ambient near3 pressure or solvent near3 extract\$5) near10 (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
99	L105	865	103 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
100	L106	134	((3d or three adj dimensional or "3" adj dimensional) adj print\$3 or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (gas or ambient near3 pressure or solvent near3 extract\$5) near10 (remov\$4 or evaporat\$5) near10 (binder or solvent or 7 or 8)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
101	L107	54	((3d or three adj dimensional or "3" adj dimensional) adj print\$3 or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and supercritical adj (fluid or liquid or extraction near3 solvent or nitrous adj oxide or sulfur adj hexafluoride)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
102	L108	240	((3d or three adj dimensional or "3" adj dimensional) adj print\$3 or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (extraction near3 solvent or nitrous adj oxide or sulfur adj hexafluoride)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
103	L109	49	((3d or three adj dimensional or "3" adj dimensional) adj print\$3 or stereolithography or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (extraction near3 solvent or nitrous adj oxide or sulfur adj hexafluoride)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
104	L110	98	((3d or three adj dimensional or "3" adj dimensional) adj print\$3 or stereolithography or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and pressure with (remov\$5 or extract\$5 or evaporat\$5) with (solvent or 7 or 8 or binder or residual or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
105	L111	3	((3d or three adj dimensional or "3" adj dimensional) adj print\$3 or stereolithography or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and (ambient ro atmospheric) near5 pressure with (remov\$5 or extract\$5 or evaporat\$5) with (solvent or 7 or 8 or binder or residual or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
106	L112	43	((3d or three adj dimensional or "3" adj dimensional) adj print\$3 or stereolithography or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and gas with (remov\$5 or extract\$5 or evaporat\$5) with (solvent or 7 or 8 or binder or residual or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
107	L113	144	((3d or three adj dimensional or "3" adj dimensional) adj print\$3 or stereolithography or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering) and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
108	L114	3826	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and ((3d or three adj dimensional or "3" adj dimensional) near53 print\$3 or stereolithography or sdm! or sls! or fdm! or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
109	L115	1882	(printhead or print adj head or ink near3 jet or inkjet or jet\$5 with printer) and ((3d or three adj dimensional or "3" adj dimensional) adj3 print\$3 or stereolithography or (fused or selective) adj deposition adj modeling or selective adj laser adj sintering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
110	L116	508	115 and (remov\$4 or extract\$5 or evaporat\$5) near5 (solvent or binder or binding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
111	L117	11	115 and (remov\$4 or extract\$5 or evaporat\$5) near5 (solvent or binder or binding) same (supercritical or nitrous adj oxide or carbon adj dioxide or "co.sub.2" or (ambient or atmospheric) near5 pressure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB